
MADE IN FRANCE

From machining to finishing and assembly







MACHINING

PROTECTIVE FINISH

ASSEMBLY

AquaNess

MARINE-GRADE ALUMINIUM

Lightweight. Strong. Corrosion-resistant.



PROTECTIVE FINISH & POOL-FLOOR SUPPORT

Epoxy-coated frame • Suction-cup feet









EIGHT COLOUR OPTIONS

A finish to complement your pool



Aluminium Grey



Slate Grey



Water Green



Pink



Red



Yellow



White



Blue

AQUANESS V5

Adjustable fit. Smooth water resistance.





02 PERSONALISED FIT

Adjust saddle height and reach, handlebars and base height



01 ADJUSTABLE WATER RESISTANCE

Set pedal-blade spacing before your session



03 ACCESSIBLE FRAME


Low crank position for easier step-over access

12 kg • Recommended water depth: 1.0–1.7 m

AQUANESS VR

Supported seating. Controlled aquatic cycling.






01 SEMI-RECLINED SEATING

Comfortable support for sustained pedalling



02 ADJUSTABLE RESISTANCE

Progressive mechanical resistance during exercise



03 PERSONALISED POSITIONING

Adjust pedal reach forwards or backwards

28 kg • Wheels and lifting straps for handling

AQUANESS TR1

Stable support. Cushioned aquatic rebound.





01 ELASTIC-CORD CUSHIONING

Flexible cords support the rebound surface



02 REINFORCED JUMPING MAT

Polyester mesh with a protective PVC coating



03 EIGHT SUCTION-CUP FEET

Support and stability on the pool floor

10 kg equipment weight • Maximum user weight: 150 kg

